

- BASE for OUTDOOR use
- BASE for INDOOR use

DISTRIBUTOR/AGENT:	DATE OF ORDER:
	DATE OF DELIVERY:
	NAME OF THE ADDRESSEE/USER

MODULAR POSTURAL SYSTEM that can be positioned on INDOOR and OUTDOOR BASE



FEATURES

Postural SEAT easily reversible with SERVO-ASSISTED TILTING AND RECLINING SYSTEM

- **Tilting seating unit** operated by gas spring, **removable** thanks to a practical, safe, and foolproof attachment/detachment system, quickly reversible to face the parent (outdoor base), **equipped with a visual safety system**. The backrest is adjustable in height, the seat in depth and the width can be adjusted via multi-adjustable lateral supports. All the adjustments are precise and continuous.
- The upholstery of the seat is extremely breathable, comfortable, durable, easy to wash, and quick to dry, consisting of:
 - » **Non-removable supporting upholstery**: the texture with an essential design allows an **excellent breathability**, reducing sweating and bacterial growth. The fabric composition allows an **easy sanitization**. It **maintains performance even at high loads and is fire retardant** according to class 1 fire reaction (non-flammable combustible materials) according to Ministerial Decree June 26, 1984, and subsequent amendments.
 - » **The removable cover** is made of breathable and **highly innovative** material both internally and externally. The internal fabric is three-dimensional, lightweight, and provides high air circulation. It allows an **optimal weight distribution** and **great comfort**. The external fabric is also highly resistant to abrasion. Fireproof according to EN 1021-1:2014 and EN 1021-2:2014 standards. Washable at 40°C. Easily removable for washing with **quick drying times**.
- **Reclining backrest** with gas spring and height-adjustable precisely and continuously. The backrest has a **restraining shape** and, thanks to the resistant bearing upholstery and **aluminum bars**, provides a comfortable and breathable support.
- **Integrated headrest** in the backrest to ensure the child always has support when the seating unit is tilted and/or the backrest is reclined.
- **Includes the mod. 947 pelvic belt with variable angle**.
- **Wide and padded armrests**, adjustable in height, width, and inclination (they follow the adjustments of the pelvis lateral supports).
- Adjustable **pelvic supports** for containment in width, rotation, and depth independently.
- Height and angle-adjustable **leg rest** with physiological pivot, making the adjustment comfortable. Adjustable in depth along with the seat.
- **Adjustable single footrest with heel stops** or **adjustable separate footrests** (component mod. 957).
- **Lateral shoulder supports** mod. 967 provided as standard in the outdoor version.

OUTDOOR BASE (CRASH TESTED according to ISO 7176/19 and ANSI RESNA WC/19 standards) **parent-facing reversible**.

- Compact and lightweight **frame** with a new innovative design, easily maneuverable and foldable, with a tilt-adjustable handlebar. It **reduces depth space**.
- Solid, lightweight, and smooth-running **wheels** on all surfaces: 17 cm (6,7 in) front wheels with direction locks, 25 cm (9,8 in) rear wheels, with shock absorbers and independent drum and parking brakes.

HIGH LOW INDOOR BASE

- **Compact frame with height adjustment** - to allow approaching support and work surfaces - with gas spring adjustment while the child is seated. **The height adjustment system is internationally patented**.
- **Active tilt-in-space**: useful for positioning the child in an active position, to perform activities that stimulate straightening and activation of the posterior musculature.
- **Solid twin wheels** 7,5 cm (2,9 in), swiveling, **with rubber coating**. All equipped with parking brakes.



Attention!
Read carefully the user and maintenance manual


CHOOSE THE COLOR OF THE POSTURAL SEATING UNIT

☐ Coral pink ☐ Sky blue ☐ Brown




CHOOSE THE BASE (both can also be selected)

☐ OUTDOOR USE ☐ INDOOR USE




USER HEIGHT: 75-105 cm
29,5-41,3 in
MAX LOAD: 25 kg
55,1 lb

MEASURES in cm and (inches)



A	B	C	D	E	F	G	H	I	L	M	N	O	P	Q	R	S	Frame weight	Seating unit weight	Total weight
34 (13,4)	16-26 (6,2-10,2)	57 (22,4)	42-52 (16,5-20,4)	51 (20)	72 (28,3)	45°	16-26 (6,2-10,2)	11,5-14 (4,5-5,5)	30°	15-25 (5,9-9,8)	31 (12,2)	65 (25,5)	69 (27,1)	49 (19,2)	57 (22,4)	80 (31,4)	10,8 kg (23,8 lb)	9,7 kg (21,3 lb)	20,5 kg (55 lb)



A	B	C	D	E	F	G	H	I	L	M	N	Frame weight	Seating unit weight	Total weight
34 (13,4)	16-26 (6,2-10,2)	53 (20,8)	42-52 (16,5-20,4)	45-65 (17,7-25,5)	65 (25,5)	45°	16-26 (6,2-10,2)	11,5-14 (4,5-5,5)	40°	15-25 (5,9-9,8)	40 (15,7)	14,3 kg (31,5 lb)	9,7 kg (21,3 lb)	24 kg (52,9 lb)

ADDITIONAL COMPONENTS for both BASES

<input type="checkbox"/> 863 Postural headrest adjustable in height, width, tilt and depth, with adjustable side supports. Size mini/S.	<input type="checkbox"/> 942 Ergonomic and mouldable headrest adjustable in height, tilt and forward-backward with adjustable sides. Size mini/S.	<input type="checkbox"/> 835 Padded shaped headrest adjustable in height.	<input type="checkbox"/> 852 Headrest with parietal supports adjustable in width. Size mini/S.	
<input type="checkbox"/> 838 Trunk side supports adjustable in height width and transversally.	<input type="checkbox"/> 967 Shoulders lateral supports. Standard on outdoor base. <input type="checkbox"/> Optional component for the indoor base	<input type="checkbox"/> 868 Wrappable and flexible trunk supports adjustable in height, width and transversally.	<input type="checkbox"/> 853 Vest harness	<input type="checkbox"/> 853H Harness.
<input type="checkbox"/> 947 pelvic belt with variable angle as standard. Size mini.	<input type="checkbox"/> 834N Padded narrow abduction block. Size mini/S.	<input type="checkbox"/> 834R Adjustable abduction block. Size mini/S.	<input type="checkbox"/> 969 Postural pads kit.	<input type="checkbox"/> 824 Transparent tray adjustable in height, depth and tilt.
<input type="checkbox"/> 827 Foot straps for single footrest.	<input type="checkbox"/> 957 Legrest with separate footrests. Adjustable in height, inclination and abduction independently.	<input type="checkbox"/> 960 Heelrests only with legrest 957.	<input type="checkbox"/> 962 Footrests + Heelrests, only with legrest 957.	

ADDITIONAL COMPONENTS for OUTDOOR BASE

<input type="checkbox"/> 839 Padded front handle Adjustable in height and tilt. 	<input type="checkbox"/> 819 Versatile canopy. 	<input type="checkbox"/> 825 Rain cover. Only with canopy 819. 	<input type="checkbox"/> 891 Set of 4 tie down hooks for the forward-facing transport of the pushchair in a motor vehicle (cars, buses...)   COMPLIANT WITH ISO 7176/19 and ANSI RESNA WC/19 STANDARDS
<input type="checkbox"/> 818 Padded thermal cover. 	<input type="checkbox"/> 858 Shopping and vent tray basket. 	<input type="checkbox"/> 935 Oxygen bottle holder. 	<input type="checkbox"/> 922 Bottle holder.  <input type="checkbox"/> 905 Hand brake. 



COMPLIANT WITH
ISO 7176/19 and
ANSI RESNA WC/19
STANDARDS



ADDITIONAL COMPONENTS for INDOOR BASE

☐ **961** Elbow side supports.
Height adjustable.





☐ **824B** Wide, resistant and hygienic table, suitable for food contact.
Multiadjustable.




COMPONENTS MEASURES


863




942




852



835



838




947




868





853




853H




969




834R



834N




858




5 kg/11 lb

824B




824



957

A = 15° of abduction
on indoor base
A = 5° of abduction
on outdoor base



Notes:

.....

.....

.....

.....

.....