

- BASE for OUTDOOR use
- BASE for INDOOR use

DISTRIBUTOR/AGENT:	DATE OF ORDER:
	DATE OF DELIVERY:
	NAME OF THE ADDRESSEE/USER

## MODULAR POSTURAL SYSTEM that can be positioned on INDOOR and OUTDOOR BASE



## FEATURES

### Postural SEAT easily reversible with SERVO-ASSISTED TILTING AND RECLINING SYSTEM

- **Tilting seating unit** operated by gas spring, **removable** thanks to a practical, safe, and foolproof attachment/detachment system, quickly reversible to face the parent (outdoor base), **equipped with a visual safety system**. The backrest is adjustable in height, the seat in depth and the width can be adjusted via multi-adjustable lateral supports. All the adjustments are precise and continuous.
- The upholstery of the seat is extremely breathable, comfortable, durable, easy to wash, and quick to dry, consisting of:
  - » **Non-removable supporting upholstery**: the texture with an essential design allows an **excellent breathability**, reducing sweating and bacterial growth. The fabric composition allows an **easy sanitization**. It **maintains performance even at high loads and is fire retardant** according to class 1 fire reaction (non-flammable combustible materials) according to Ministerial Decree June 26, 1984, and subsequent amendments.
  - » **The removable cover** is made of breathable and **highly innovative** material both internally and externally. The internal fabric is three-dimensional, lightweight, and provides high air circulation. It allows an **optimal weight distribution** and **great comfort**. The external fabric is also highly resistant to abrasion. Fireproof according to EN 1021-1:2014 and EN 1021-2:2014 standards. Washable at 40°C. Easily removable for washing with **quick drying times**.
- **Reclining backrest** with gas spring and height-adjustable precisely and continuously. The backrest has a **restraining shape** and, thanks to the resistant bearing upholstery and **aluminum bars**, provides a comfortable and breathable support.
- **Integrated headrest** in the backrest to ensure the child always has support when the seating unit is tilted and/or the backrest is reclined.
- **Includes the mod. 947 pelvic belt with variable angle.**
- **Wide and padded armrests**, adjustable in height, width, and inclination (they follow the adjustments of the pelvis lateral supports).
- Adjustable **pelvic supports** for containment in width, rotation, and depth independently.
- Height and angle-adjustable **leg rest** with physiological pivot, making the adjustment comfortable. Adjustable in depth along with the seat.
- **Adjustable single footrest with heel stops** or **adjustable separate footrests** (component mod. 957).
- **Lateral shoulder supports** mod. 967 provided as standard in the outdoor version.

### OUTDOOR BASE (CRASH TESTED according to ISO 7176/19 and ANSI RESNA WC/19 standards) **parent-facing reversible**.

- Compact and lightweight **frame** with a new innovative design, easily maneuverable and foldable, with a tilt-adjustable handlebar. It **reduces depth space**.
- Solid, lightweight, and smooth-running **wheels** on all surfaces: 17 cm (6,7 in) front wheels with direction locks, 25 cm (9,8 in) rear wheels, with shock absorbers and independent drum and parking brakes.

### HIGH LOW INDOOR BASE

- **Compact frame with height adjustment** - to allow approaching support and work surfaces - with gas spring adjustment while the child is seated. **The height adjustment system is internationally patented.**
- **Active tilt-in-space**: useful for positioning the child in an active position, to perform activities that stimulate straightening and activation of the posterior musculature.
- **Solid twin wheels** 7,5 cm (2,9 in), swiveling, **with rubber coating**. All equipped with parking brakes.



**Attention!**  
Read carefully the user and maintenance manual


#### CHOOSE THE COLOR OF THE POSTURAL SEATING UNIT

☐ Coral pink ☐ Sky blue ☐ Brown




#### CHOOSE THE BASE (both can also be selected)

☐ OUTDOOR USE ☐ INDOOR USE




USER HEIGHT: 75-105 cm  
29,5-41,3 in  
MAX LOAD: 25 kg  
55,1 lb

#### MEASURES in cm and (inches)



A	B	C	D	E	F	G	H	I	L	M	N	O	P	Q	R	S	Frame weight	Seating unit weight	Total weight
34 (13,4)	16-26 (6,2-10,2)	57 (22,4)	42-52 (16,5-20,4)	51 (20)	72 (28,3)	45°	16-26 (6,2-10,2)	11,5-14 (4,5-5,5)	30°	15-25 (5,9-9,8)	31 (12,2)	65 (25,5)	69 (27,1)	49 (19,2)	57 (22,4)	80 (31,4)	10,8 kg (23,8 lb)	9,7 kg (21,3 lb)	20,5 kg (55 lb)



A	B	C	D	E	F	G	H	I	L	M	N	Frame weight	Seating unit weight	Total weight
34 (13,4)	16-26 (6,2-10,2)	53 (20,8)	42-52 (16,5-20,4)	45-65 (17,7-25,5)	65 (25,5)	45°	16-26 (6,2-10,2)	11,5-14 (4,5-5,5)	40°	15-25 (5,9-9,8)	40 (15,7)	14,3 kg (31,5 lb)	9,7 kg (21,3 lb)	24 kg (52,9 lb)

### ADDITIONAL COMPONENTS for both BASES

- ☐ **863 Postural headrest**  
adjustable in height, width, tilt and depth,  
with adjustable side supports.  
Size mini/S.



- ☐ **942 Ergonomic and mouldable headrest** adjustable in height, tilt and forward-backward with adjustable sides.  
Size mini/S.




- ☐ **835 Padded shaped headrest** adjustable in height.



- ☐ **852 Headrest with parietal supports** adjustable in width.  
Size mini/S.



- ☐ **838 Trunk side supports** adjustable in height, width and transversally.



- 967 Shoulders lateral supports.** Standard on outdoor base.  
☐ Optional component for the indoor base



- ☐ **868 Wrappable and flexible trunk supports** adjustable in height, width and transversally.



- ☐ **853 Vest harness**



- ☐ **853H Harness.**



- 947 pelvic belt with variable angle** as standard.  
Size mini.



- ☐ **834N Padded narrow abduction block.**  
Size mini/S.



- ☐ **834R Adjustable abduction block.**  
Size mini/S.



- ☐ **969 Postural pads kit.**



- ☐ **824 Transparent tray** adjustable in height, depth and tilt.



- ☐ **827 Foot straps** for single footrest.



- ☐ **957 Legrest with separate footrests.**  
Adjustable in height, inclination and abduction independently.



- ☐ **960 Heelrests only with legrest 957.**



- ☐ **962 Footrests + Heelrests,** only with legrest 957.



- ☐ **892 Padded footplate covering,** for single footrest. Removable for washing.



- ☐ **972 Padded footrest height reducer** for single footrest.



### ADDITIONAL COMPONENTS for OUTDOOR BASE

- ☐ **819 Versatile canopy.**



- ☐ **825 Rain cover.** Only with canopy 819.



- ☐ **839 Padded front handle** Adjustable in height and tilt.



- ☐ **818 Padded thermal cover.**



- ☐ **858 Shopping and vent tray basket.**



- ☐ **935 Oxygen bottle holder.**




- ☐ **891 Set of 4 tie down hooks** for the forward-facing transport of the pushchair in a motor vehicle (cars, buses...)



COMPLIANT WITH  
ISO 7176/19 and  
ANSI RESNA WC/19  
STANDARDS







#### ADDITIONAL COMPONENTS for INDOOR BASE



<p><b>863</b></p> <p>mini/S A= 12 - 21 cm 4,7 - 8,2 in</p>	<p><b>942</b></p> <p>mini/S A= 14 cm 5,5 in</p>	<p><b>852</b></p> <p>mini/S A= 12 - 21 cm 4,7 - 8,2 in</p>
<p><b>835</b></p> <p>mini A= 16 cm/6,3 in</p>	<p><b>838</b></p> <p>mini A= 9 cm/3,5 in B= 7 cm/2,7 in C= 16-26 cm 6,3 - 10,2 in</p>	<p><b>947</b></p> <p>mini A= 16 cm/6,3 in B= 5 cm/1,9 in</p>
<p><b>853H</b></p> <p>A= 17-30 cm 6,7-11,8 in B= 31 cm 12,2 in C= 11,5-24 cm 4,5-9,4 in</p>	<p><b>853</b></p> <p>mini A= 20,5 cm/8 in B= 28 cm/11 in</p>	<p><b>969</b></p> <p>A= 19 cm/7,4 in B= 7 cm/2,7 in C= 2 cm/0,78 in D= 7 cm/2,7 in E= 30 cm/11,8 in F= 2 cm/0,78 in</p>
<p><b>834N</b></p> <p>mini/Small A= 12 cm/4,7 in B= 4 cm/1,5 in C= 14 cm/5,5 in</p>	<p><b>824B</b></p> <p>A= 16 cm/6,2 in B= 38 cm/14,9 in C= 53 cm/20,8 in D= 64 cm/25,1 in</p>	<p><b>824</b></p> <p>A= 9 cm/3,5 in B= 21 cm/8,2 in C= 31 cm/12,2 in D= 39 cm/15,3 in</p>
<p><b>858</b></p> <p>A= 16 cm/6,2 in B= 40 cm/15,7 in C= 27 cm/10,6 in</p>	<p><b>957</b></p> <p>A= 15° of abduction on indoor base A= 5° of abduction on outdoor base</p>	<p><b>972</b></p> <p>A= 11 - 21 cm 4,33-8,26 in</p>